



乐清市裕林电子有限公司

Yueqing Yulin Electrical Co., Ltd

website: www.indicatorlight.com Tel: 0577-27878383 Fax: 0577-27878383-8027

Address: #19 Ke'aisi Road, Xiangyang industrial area, Liushi Town, Yueqing City

SPECIFICATION FOR APPROVAL

规格说明书

CUSTOMER'S CODE

本厂代码: FLP12-BJ-1-XX000-P10M2

DESCRIPTION

品名: FLP12-10 球头插脚自复无灯塑料按钮

SPECIFICATION

规格: 12mm

DATE

编制日期: _____

PART NO.

本厂型号: _____

REFERENCE No.

档案编号: _____

| Approved By Customer 编制 | Qualified By 审核 | Form Designer 批准 |
|----------------------------|--------------------|---------------------|
| | | |




乐清市裕林电子有限公司
Yueqing Yulin Electrical Co., Ltd

website: www.indicatorlight.com Tel: 0577-27878383 Fax: 0577-27878383-8027
Address: #19 Ke'aisi Road, Xiangyang industrial area, Liushi Town, Yueqing City

1. 图片 Picture:





2. 图纸 drawing



电器简图

安装孔图





乐清市裕林电子有限公司

Yueqing Yulin Electrical Co., Ltd

website: www.indicatorlight.com Tel: 0577-27878383 Fax: 0577-27878383-8027

Address: #19 Ke'aisi Road, Xiangyang industrial area, Liushi Town, Yueqing City

3 配件材料 component material

| 配 件 名 Component name | 材料 material |
|-------------------------|---|
| | |
| 按键 The keys | PC 塑料 PC plastic |
| 外壳套筒 The shell | PC 塑料 PC plastic |
| 按钮引脚 pin | H62 铜合金 |
| 橡胶圈 Rubber ring | 硅胶 silicone |
| 螺帽 nut | H59 黄铜 H59 nickel plated brass |
| 底座 housing | PA66+GF20%阻燃尼龙 PA66+GF20% nylon |
| | |
| 按键颜色 Button color | 红、黄、蓝、绿、白 Red, yellow, blue, green, white |
| | |
| | |

4 性能参数 performance parameter

| 项目 items | 参数 parameter |
|--|--|
| 开关额定电压 Rated voltage | 36V DC 250V AC |
| 开关额定电流 rated current | 3A DC 3A AC |
| | |
| | |
| | |
| 绝缘耐压 Insulation and voltage resistance | 1500V |
| 接触电阻: Point resistanc: | $\leq 50m\Omega$ $\leq 50m\Omega$ |
| 绝缘电阻: Isolation resistance: | $\geq 100M\Omega$ $\geq 100M\Omega$ |
| 机械寿命 | 50 万次 |
| 电气寿命 electrical life | 10 万次 |
| 工作环境温度 Operating temperature | -25℃~+85℃ |
| 防护等级(头部) IP degree | IP65 IK08 |